

texdecor


Acoustic and decorative solutions



ACOUSTIC
SOLUTIONS


SlimWall Lines






Installation

Mur / Wall / Pared



Plafond / Ceiling / Techo




Unicolor





Bicolor







Colours



Installation



Ecoconception



Acoustic

Frequencies (Hz)	125	250	500	1000	2000	4000	α_w	NRC
SlimWall Lines	0,05	0,10	0,30	0,65	0,90	1	0.35	0,45
SlimWall Lines + 22mm cavity	0,05	0,20	0,55	0,90	0,95	0,90	0.50	0,65
SlimWall Lines + LR 20mm + 2mm Cavity	0,15	0,50	0,90	0,95	0,95	0,95	0.80	0,85
SlimWall Lines + LR20mm+ 25mm cavity	0,40	0,75	0,90	0,90	0,95	0,95	0.95	0,9
SlimWall Lines + LR 20mm + 250mm Cavity	0,60	0,70	0,80	0,90	0,95	1	0.90	0,85

texdecor

Publication : Sept 2023
 Texdecor, 2 rue d'Hem, 59780 Willems
 Tel : + 33 (0)3 20 61 78 37 - Fax : + 33 (0)3 20 61 75 64 - www.texdecor.com

TEXSLIWBROLNE